

* * * * *

PERFECTO

EXTERIOR LINE




PERFORMANCE \ KEY POINTS



Elasto
Siloxane
CH₃


ELASTO - SILOXANIC SOLUTION

Coating and plasters for external use, Elastic Siloxanic based.



HIGH ELASTICITY

High elastic modulus guarantees the micro - movements of the surface with excellent anti-crack protection.



U.V.



EXCELLENT COLOR LIFE

Excellent resistance against U.V. outside and bad weather.



ANTI FUNGUS ALGAE

Very important for external wall finishes where there is a low sun exposure, and an high risk of Algae and Fungus.






EXCELLENT ADHESION TO ANY TYPE OF SURFACE
Synthetic or Mineral.



ANTI CRACK SYSTEM

The structure allows to absorb the tension of the micro movements of the surface preventing breakage and micro cracks.





HIGH PERMEABILITY WATER VAPOR

High breathability guarantees natural migration of vapor to the outer surface, allowing good dehumidification, enhancing the thermal insulation of the substrate.

HIGH
VAPOR
PERMEABILITY


Color Sense

COLOR SENSE LIMITED


AR THE
Decorative line



HIGH WATER REPELLENCY and SELF-CLEANING

This feature prevents the penetration of rainwater for optimal excellent self-cleaning and low dirt pick-up time.

EFFECTS

BETON



TRAVERTINO



ENCAUSTO



GRANITO SILVER



GRANITO GOLD



STUCCOMARMO



SIENNA (1 mm.)



SIENNA big grain (1.5mm) /
GRAFFIATO



LISCIO PAINT

